


# 6.8 PERFORMANCE SPECIFICATIONS



LOA:	22'5"	INTERNAL LENGTH ON DECK:	16'10"
BEAM:	8'8"	INTERNAL BEAM ON DECK:	5'10"
WEIGHT (W/OUT ENGINE):	2,275 LBS	DRAFT (W/OUT ENGINE):	18"
DEAD RISE AFT:	24°	MAXIMUM PEOPLE:	12
DEAD RISE FORWARD:	45°	MAX HP:	230
TUBE DIAMETER:	20"		

## Yamaha 200 Stainless Steel Prop

RPM	MPH	GPH
1000	5	0.7
2000	10	2.2
3000	21	4.7
4000	32	6.8
5000	40	11.4
5800	49	19.4



Engine Comparison	HP	Engines	Propeller	Top Speed (MPH)	Top RPM
Honda	200	1	Aluminum	48	5800
Yamaha	200	1	Stainless	49	6000
Yamaha	225	1	Stainless	55	6100

The information and data contained in this performance bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this bulletin due to various factors including your boat's actual weight, configuration, wind and water conditions, temperatures, humidity, elevations, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. RIBCRAFT reserves the right to change the specifications and performance data of this bulletin or model without notice.