

 EXPRESS 32



RIBCRAFT EXPRESS 32

LOA: 32'3" | Max HP: 700

The Express 32 offers the ultimate in performance and comfort. With its aggressive deep V hull this 32' RIB delivers high speed open water performance while maintaining responsiveness and agility. Featuring a highly functional interior/exterior pilothouse layout ideal for commuting, cruising, or all weather exploring, the generous cabin provides premium interior space with two large bunks and an enclosed head. With an optional galley arrangement and various seating and dining configurations, the Express 32 can be personalized to your every need.



RIBCRAFT ✦

*All specs, equipment and options subject to change without notice. †LOA and beam may vary slightly based on inflation pressure of the tube. *Additional dimensions/specs available on request.



LOA:	22'5"
Beam:	8'8"
Weight (w/out engine):	2,275 lbs
Dead rise aft:	24°
Dead rise forward:	45°
Tube diameter:	20"
Internal length on deck:	16'10"
Internal beam on deck:	5'10"
Draft (w/out engine):	18"
Maximum people:	12
Max HP:	230
Fuel capacity:	80 gal
Tube:	1670 dtx Hypalon®
Chambers:	5
Pressure relief valves:	5

6.8 Standard Equipment
Center console with front bench seat, leaning post with backrest and footrest, windscreen with grab rail, hydraulic steering, anchor locker, bow eye, bow cleat, stern tie down eyes, electrical panel, two batteries, battery switch, navigation lights, compass, two electric bilge pumps, light or dark grey Hypalon tube, heavy duty rubstrake, tube grab handles, and lifelines.



LOA:	25'7"
Beam:	8'9"
Weight (w/out engine):	2,670 lbs
Dead rise aft:	24°
Dead rise forward:	45°
Tube diameter:	20"
Internal length on deck:	20'
Internal beam on deck:	5'10"
Draft (w/out engine):	18"
Maximum people:	14
Max HP:	300
Fuel capacity:	100 gal
Tube:	1670 dtx Hypalon®
Chambers:	7
Pressure relief valves:	7

7.8 Standard Equipment
Center console with front bench seat, leaning post with backrest and footrest, windscreen with grab rail, hydraulic steering, anchor locker, bow storage box/seat with cushion, bow eye, bow cleat, stern tie down eyes, electrical panel, two batteries, battery switch, navigation lights, compass, two electric bilge pumps, manual bilge pump, light or dark grey Hypalon tube, heavy duty rubstrake, tube grab handles, and lifelines.



LOA:	29'7"
Beam:	10'3"
Weight (w/out engine):	3,395 lbs
Dead rise aft:	20°
Dead rise forward:	40°
Tube diameter:	21"
Internal length on deck:	22'10"
Internal beam on deck:	6'10"
Draft (w/out engine):	22"
Maximum people:	20
Max HP:	600
Fuel capacity:	135 gal
Tube:	1670 dtx Hypalon®
Chambers:	7
Pressure relief valves:	7

9.0 Standard Equipment
Center console with front bench seat, leaning post with backrest and footrest, windscreen with grab rail, hydraulic steering, bow storage box/seat with cushion, bow eye, bow cleat, stern tie down eyes, electrical panel, two batteries, battery switch, navigation lights, compass, two electric bilge pumps, manual bilge pump, transom extension, light or dark grey Hypalon tube, heavy duty rubstrake, tube grab handles, and lifelines.



LOA:	32'3"
Beam:	10'3"
Weight (w/out engine):	7,000 lbs
Dead rise aft:	21°
Dead rise forward:	60°
Draft (engines down):	2'4"
Draft (engines up):	1'11"
Internal beam on deck:	5'6"
Water capacity:	35 gal
Holding tank:	18 gal
Max HP:	700
Fuel capacity:	180 gal
Tube:	Hypalon® / Polyurethane
Chambers:	7
Pressure relief valves:	7

32 Standard Equipment
Pilothouse with two helm seats, wrap around windshield, aft pilothouse canvas enclosure, sliding locking companion way pocket door, fully enclosed cabin, twin berths with storage, enclosed head, forward deck hatch, anchor with windlass, forward tow post, bow eye, engine splash well, retractable swim ladder, trim tabs, bilge pump, three batteries with switches, two breaker panels, interior lights, navigation lights, and compass.

Optional Equipment

Seating

Pod seating

Full width bench seat

Three person bench seat with integrated cooler

Molded transom bench seat with storage

Bow sun platform

Bow storage box/seat with cushion (6.8 only)



Three person bench seat with integrated cooler



Molded transom bench seat with storage



Bow sun platform

Arches & Tops

Antenna arch

Antenna arch with integrated swim ladder

T-Top

T-Top courtesy upgrade

Rod holders



Antenna arch



Antenna arch with integrated swim ladder



T-Top

Accessories

Bow rail

Tow post (fore/aft)

Transom bollards

Lifting points

Teak deck

Tow eyes

Keel guard

Marine head



Bow rail



Tow post



Transom bollards

Tube Options

Boarding wear patches

Tube grab handles

Paddle/hook retainers

Swim ladder

Bow chock

Grey rubstrake



Boarding wear patches



Tube grab handles



Swim ladder

Various tube and hull colors include: Light Grey, Dark Grey, White, Blue, Cream, Black, Red, Yellow, Orange. Electronics, lighting, and navigation packages available.

With accessory choices, console and seating configurations, propulsion options, and a variety of navigation and communication equipment, all models can be personalized to you.